

B315DNI

SPECIFICAȚII DE BAZĂ	
Tip	Multifunctional laser A4
Dimensiunea originalului	216 x 356 mm
Functii	Imprimare, copiere, scanare, fax
Volum lunar maxim	80.000pag
Volum lunar recomandat	6.000pag
Ecran	Ecran tactil color de 2,8 inchii
Specificatii copiator	
Rezoluție	600x600dpi
Viteza de copiere	Până la 39 cpm Negru (A4), 18ppm duplex
Mărire micșorare	Zoom: 25-400
Copii multiple	9999
Operații duplex	DA 1:1; 1:2; 2:2; 2:1
Alimentator automat de documente ADF	DA la o singura trecere
Capacitate	50coli
Prima copie	5,3 secunde
Formate	
Greutate hartie	
Multitasking acceptat	Da
Specificatii imprimanta	
Viteza Imprimare	40 ipm Negru (A4);18 ipm (A4) față-verso alb-negru
Rezolutie imprimare	600 x 600 dpi, 2400 Image Quality

Imprimare duplex	Automat
Procesor	1 Ghz
Memorie	512MB
Unitate de hard disk	Nu
Timp pana la iesire primei pagini	5,8 secunde
Conectivitate	Hi-Speed USB 2.0 (Type A), Ethernet 10/100, Base TX, Hi-Speed Certified (Type B), Wireless 802.11b/g/n
Wireless	Da
Cloud Connectivity	NU
Limbaaj de imprimare	PostScript® 3 Emulation, PCL® 5 / PCL 6 Emulation, Direct Image
Print from USB	File Formats: PDF, JPEG, TIFF, GIF, BMP, PNG, PCX
Capabilitate de imprimare mobilă	Apple AirPrint, Mopria Print Service, Chromebook, Wi-Fi Direct®
Protocoale de rețea	TCP/IP: HTTP/HTTPS, IPP, LPR/LDP, Raw Socket Printing/Port 9100, IPv4/IPv6, MS Web Services WSD-Print 802.1x, SNMP
Sisteme de operare compatibile	Windows® 8, 8.1 Update 1, 10, 11. Windows Server® 2008 SP2 (32- and 64-bit), Windows Server 2008 R2 SP1, Windows Server 2012, Windows Server 2012 R2, Windows Server 2019, macOS 10.14, 10.15, 11, 12
Optional	
Specificatii scanner	
Suprafata maxima de scanare	216 x 356 mm
Viteza de scanare Alb-negru	monocrom 46ipm simplex , 92ipm duplex - A4 / 210 x 297 mm,
Viteza de scanare Color	color 20 ipm simplex/40 duplex - A4 / 210 x 297 mm
Rezoluție	600 x 600 dpi (ADF) color and B&W
Destinații	Email, Front-side USB Drive, FTP, Network or USB Connected Computer, Windows Network Folder

Formatul fișierelor	TIFF, JPEG, PDF (non-searchable), Secure PDF, Archival PDF/A
Scan Driver Compatibility	TWAIN, WIA, ICA
FAX	
Standard	Da
Viteza transmisie	Max is 33,600 bps, V.34 Half-Duplex Kbps
rezolutie fax	B&W Standard, Fine, Superfine,Ultrafine 200 x 100 Send to 600 x 600 Send Color Fine, Superfine 200 x 200 (Send) and 300x 200 Send/receive
Specificatii fax	Auto Answer, Auto Redial, Auto Reduction,Broadcast Send, Junk Fax Filter, Fax Address Book
Compresie	T.4 1D Modified Huffman Encoding /T.4 2D Modified Read Encoding /T.6 Modified Modified Read Encoding /T.85 JBIG / T.88 JBIG2 /T.81 JPEG
Securitate	
Security Protocols/Features	Digitally Signed Firmware Updates, Certificate Management, Secure Password Reset, TCP Connection Filtering, Port Filtering, Access Controls, Confidential Print, Non-Volatile Memory Wipe, Fax/Network Separation, Protected USB Ports, Auto-insertion of Sender's Email Address, Login Restrictions
WI-FI SECURITY	WMM® Wi-Fi Multimedia,Wi-Fi Protected Setup™, Infrastructure (BSS) Mode, WEP Encryption (64 & 128 bit keys), WPA Personal TKIP PSK (63 char, 64 ASCII), WPA Enterprise, WPA2-Personal, WPA2-Enterprise; EAP-MD5, EAP- MSCHAPv2, EAP-TLS, EAP-TTLS (CHAPS/MSCHASp2/PAP), LEAP, PEAP
MANEVRAREA HARTIEI	

Capacitate de intrare	tava manuala: Coli: 100/75gsm 76 x 127 mm to 216 x 356 mm,60 to 217 gsm
	tava 2: Coli: 250/75gsm ; 99 x 148 mm to 216 x 356 mm,60 to 120 gsm
	optionala tava 3: Coli: 550/75gsm ,99 x 148 mm to 216 x 356 mm, 60 to 120 gsm
Capacitate de ieşire	Standard: Până la 100 de coli,
CARACTERISTICI FIZICE	
Alimentarea cu energie	Tensiune de intrare: 220 - 240 V c.a. (+/- 10%), 50 Hz (+/- 3 Hz)
Consum energetic	Simplex 580W/Duplex 330W /Standby Mode 7,5W ,Auto Off/Sleep Mode 1,1W
Dimensiuni (W x D x H)	
Greutate	
CONSUMABILE	
Toner inclus	Cartus starter 2500pag
Consumabile	Extra-High Capacity Print Cartridges
Garantie 1an cu posibilitate de prelungire.	